



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name NITRIC ACID, SOLUTION, 1.0 N
Catalog # 1176
Version # 02
Revision date 03-Dec-2009
CAS # Mixture
CAS # 7697-37-2
Manufacturer information GFS Chemicals, Inc.
P.O. Box 245
Powell, OH 43065 US
www.gfschemicals.com
Fax 740-881-5989
Phone 740-881-5501
Toll Free 800-858-9682
Emergency Assistance Chemtrec 800-424-8300

2. Hazards Identification

Emergency overview DANGER

Corrosive. Causes skin and eye burns. Prolonged exposure may cause chronic effects.
This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

OSHA regulatory status

Potential health effects

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Eyes Causes eye burns. Risk of serious damage to eyes. Do not get this material in contact with eyes.

Skin Causes skin burns. Do not get this material in contact with skin.

Inhalation Causes burns. Do not breathe dust/fume/gas/mist/vapors/spray.

Ingestion Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. Do not ingest.

Target organs Eyes. Respiratory system. Skin.

Potential environmental effects Components of this product are hazardous to aquatic life. May cause long-term adverse effects in the environment.

3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
NITRIC ACID	7697-37-2	2.5 - 10
Non-hazardous components	CAS #	Percent
WATER	7732-18-5	90 - 100

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Skin contact Remove and isolate contaminated clothing and shoes. Immediately flush skin with plenty of water. Get medical attention immediately. For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately before reuse.

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately.

Ingestion

Have victim rinse mouth thoroughly with water. Do not induce vomiting without advice from poison control center. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If material is ingested, immediately contact a poison control center.

Notes to physician

In case of shortness of breath, give oxygen. Keep victim warm.

General advice

Immediate medical attention is required. In case of shortness of breath, give oxygen. Keep victim warm. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire Fighting Measures

Flammable properties

The product is not flammable. Not a fire hazard.

Extinguishing media

Suitable extinguishing media

Water. Use extinguishing agent suitable for type of surrounding fire.

Protection of firefighters

Protective equipment and precautions for firefighters

In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.

Specific methods

In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers.

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Keep upwind. Keep out of low areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Methods for containment

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Should not be released into the environment.

Large Spills: Dike far ahead of spill for later disposal. Neutralize with sodium hydroxide, soda ash or lime. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Following product recovery, flush area with water.

Never return spills in original containers for re-use.

7. Handling and Storage

Handling

Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not get this material on clothing. Use only with adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Avoid release to the environment. Handle and open container with care.

Storage

Store in a well-ventilated place. Keep container tightly closed. Keep this material away from food, drink and animal feed. Keep out of the reach of children. Use care in handling/storage.

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components

CAS

Type

Value

Form

NITRIC ACID

7697-37-2

STEL

4 ppm

TWA

2 ppm

U.S. - OSHA

Components	CAS #	Type	Value	Form
NITRIC ACID	7697-37-2	PEL	2 ppm	
			5 mg/m3	
			10 mg/m3	
		STEL	4 ppm	
			2 ppm	
			5 mg/m3	

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment**Respiratory protection**

Use a chemical cartridge respirator for concentrations exceeding the Occupational Exposure Limit.

Hand protection

Wear protective gloves.

Eye / face protection

Do not get this material in contact with eyes. Wear chemical goggles. Face-shield.

Skin protection

Do not get this material in contact with skin. Do not get this material on clothing. Wear chemical protective equipment that is specifically recommended by the manufacturer. Wear appropriate chemical resistant clothing. It may provide little or no thermal protection. Structural firefighters protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations. Use chemical splash goggles and face shield (ANSI Z87.1 or approved equivalent). Wear appropriate chemical resistant gloves.

General hygiene considerations

Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not get this material on clothing. When using, do not eat, drink or smoke. Keep away from food and drink. Handle in accordance with good industrial hygiene and safety practice.

General

Structural firefighters protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations.

9. Physical & Chemical Properties**Appearance**

Clear. Aqueous solution.

Color

Colorless.

Odor

Slight nitric.

Odor threshold

Not available.

Physical state

Liquid.

Form

Liquid.

pH

< 1

Melting point

Not available.

Freezing point

Not available.

Boiling point

> 212 °F (> 100 °C)

Flash point

Not available.

Evaporation rate

Not available.

Flammability

Not available.

Flammability limits in air, upper, % by volume

Not available.

Flammability limits in air, lower, % by volume

Not available.

Vapor pressure

84.13 hPa estimated

Vapor density

Not available.

Specific gravity

1.0336 estimated

Relative density

1.0335 g/cm3 estimated

Solubility (water)

Completely miscible.

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Percent volatile 100 %
Molecular weight 63.0100
Molecular formula HNO3

10. Chemical Stability & Reactivity Information

Chemical stability Stable at normal conditions.
Conditions to avoid This product may react with reducing agents.
Incompatible materials Contact with metals may evolve flammable hydrogen gas.
Hazardous decomposition products Nitrogen oxides (NOx).
Possibility of hazardous reactions Hazardous polymerization does not occur.

11. Toxicological Information

Acute effects Causes burns.

Acute Inhalation: LC 50

NITRIC ACID	7697-37-2	Mouse 67 mg/l 4 h
NITRIC ACID	7697-37-2	Rat 138 mg/l 30 min
NITRIC ACID	7697-37-2	Rat 244 mg/l 30 min
NITRIC ACID	7697-37-2	Rat 334 mg/l 30 min
NITRIC ACID	7697-37-2	Rat 65 mg/l 4 h
NITRIC ACID	7697-37-2	Mouse 244 mg/l 30 min

Toxicology data for the preparation

Acute LC50: 2560 mg/l, Mouse, Inhalation, estimated

Chronic effects Hazardous by OSHA criteria. Prolonged exposure may cause chronic effects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Corrosivity Hazardous by OSHA criteria.

12. Ecological Information

Ecotoxicity Components of this product are hazardous to aquatic life. Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Environmental effects Harmful to aquatic life.

Persistence and degradability Not available.

13. Disposal Considerations

Waste codes D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

Disposal instructions Dispose of this material and its container at hazardous or special waste collection point. Do not allow this material to drain into sewers/water supplies. Solutions with low pH-value must be neutralized before discharge. Dispose in accordance with all applicable regulations.

Waste from residues / unused products Not applicable.

14. Transport Information

DOT

Basic shipping requirements:

Proper shipping name	Nitric acid other than red fuming, with not more than 70 percent nitric acid
Hazard class	8
UN number	UN2031
Packing group	II
Additional information:	
Special provisions	A6, B2, B47, B53, IB2, T8, TP2, TP12
Packaging exceptions	None
Packaging non bulk	158
Packaging bulk	242
ERG number	157



15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

US EPCRA (SARA Title III) Section 302 - Extremely Hazardous Spill: Reportable quantity

NITRIC ACID 7697-37-2 1000 LBS

US EPCRA (SARA Title III) Section 302 - Extremely Hazardous Substance: Threshold Planning Quantity

NITRIC ACID 7697-37-2 1000 LBS

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

NITRIC ACID 7697-37-2 1.0 %

CERCLA (Superfund) reportable quantity

NITRIC ACID: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US - New Jersey Community RTK (EHS Survey): Reportable threshold

NITRIC ACID 7697-37-2 500 LBS

US - Pennsylvania RTK - Hazardous Substances: Listed substance

NITRIC ACID 7697-37-2 Listed.

16. Other Information**Further information**

HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings

Health: 3*
Flammability: 0
Physical hazard: 1

NFPA ratings

Health: 3
Flammability: 0
Instability: 1

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Issue date

03-Dec-2009

This data sheet contains changes from the previous version in section(s):

This document has undergone significant changes and should be reviewed in its entirety.